

Compatibility list

Updated on 07. April 2022

These devices can be used with Home Connect Plus

Manufacturer-brand	Product category	Description	Availability				Special notes
			DE/AT	NL	SE	GB	
ambiHome	Weather station & Environmental sensors	All KNX devices in the ambihome setup	✓	X	X	X	
ambiHome	Smoke detector	All KNX devices in the ambihome setup	✓	X	X	X	
ambiHome	Door/window-contact	All KNX devices in the ambihome setup	✓	X	X	X	
ambiHome	Shutters & blinds	All KNX devices in the ambihome setup	✓	X	X	X	
ambiHome	Plugs & Switches	All KNX devices in the ambihome setup	✓	X	X	X	
ambiHome	Lights	All KNX devices in the ambihome setup	✓	X	X	X	
ambiHome	Heating & Thermostats & Airconditioning	All KNX devices in the ambihome setup	✓	X	X	X	
ambiHome	Heating & Thermostats & Airconditioning	All KNX devices in the ambihome setup	✓	X	X	X	
ambiHome	Heating & Thermostats & Airconditioning	All KNX devices in the ambihome setup	✓	X	X	X	
Bosch Home appliances	Home appliances	Home appliances with Home Connect function	✓	✓	✓	✓	Roxxter not available in NL. Cookit only available in DE.
Bosch Power tools	Lawn mower	All smart Indego Robot-lawn mowers	✓	✓	✓	✓	Cannot be used as a trigger in an automation.
Bosch Thermotechnology	Heating & Thermostats & Airconditioning	EasyControl, Bosch Smart Home Radiator-Thermostat (only in connection with EasyControl)	✓	✓	X	✓	
Bosch Smart Home	Smart plugs	Smart plug, Plug compact	✓	✓	X	✓	
Bosch Smart Home	Blinds & Shutters	Blinds/shutter control switch	✓	✓	X	✓	
Bosch Smart Home	Door/window-contact	Door/window-contact	✓	✓	X	✓	
Bosch Smart Home	Heating & Thermostats & Airconditioning	Room thermostat, radiator-thermostat	✓	✓	X	✓	
Bosch Smart Home	Presence/Motion detector	Motion detector	✓	✓	X	✓	
Bosch Smart Home	Smoke detector	Smoke detector, Twinguard	✓	✓	X	✓	As part of smoke detection system. Twinguard currently without the values of the air quality.
Bosch Smart Home	Camera	Bosch Smart Home 360°, Bosch Smart Home Eyes	✓	✓	X	✓	
Bosch Smart Home	Water sensors	Smart Water Alarm	✓	✓	X	✓	
Bosch spexor	Security	Bosch spexor	✓	✓	✓	✓	
Bose	Speakers	Home Speaker 500, Home Speaker 300, Soundbar 500, Soundbar 700, Portable Home Speaker, Smart Soundbar 300	✓	✓	✓	✓	Cannot be used as a trigger in an automation
Buderus	Heating & Thermostats & Airconditioning	TC100.2, Bosch Smart Home Radiator-Thermostat (only in connection with TC100.2)	✓	X	X	X	Cannot be used as a trigger in an automation.
Busch-Jaeger	Heating & Thermostats & Airconditioning	All devices of the free@home-Series	✓	✓	✓	✓	All devices must be connected via the Busch-free@home System Access Point.
Busch-Jaeger	Door/window-contact	All devices of the free@home-Series	✓	✓	✓	✓	All devices must be connected via the Busch-free@home System Access Point.
Busch-Jaeger	Presence/Motion detector	All devices of the free@home-Series	✓	✓	✓	✓	All devices must be connected via the Busch-free@home System Access Point.
Busch-Jaeger	Lights & Switches	All devices of the free@home-Series	✓	✓	✓	✓	All devices must be connected via the Busch-free@home System Access Point. Sensoren (Wippen und Schalter) werden nicht in Home Connect Plus als Gerät angezeigt.
Busch-Jaeger	Blinds & Shutters	All devices of the free@home-Series	✓	✓	✓	✓	All devices must be connected via the Busch-free@home System Access Point. Sensoren (Wippen und Schalter) werden nicht in Home Connect Plus als Gerät angezeigt.

Compatibility list

Updated on 07. April 2022

These devices can be used with Home Connect Plus

Cloudmatic	Plugs & Switches	HM-LC-AO-SM HM-LC-Dim1L-PI HM-LC-Dim1L-PI-2 HM-LC-Dim1L-CV 263 132 HM-LC-Dim2L-CV HM-LC-Dim2L-SM HSS-DX HM-LC-Dim1L-PI-3 HM-LC-Dim1L-CV-2 HM-LC-Dim1PWM-CV HM-LC-Dim1PWM-CV-2 HM-LC-Dim1TPBU-FM HM-LC-Dim1TPBU-FM-2 263 133 HM-LC-Dim1T-PI HM-LC-Dim1T-CV HM-LC-Dim1T-FM HM-LC-Dim1T-PI-3 HM-LC-Dim1T-CV-2 HM-LC-Dim1T-FM-2 HM-LC-Dim1T-DR HM-LC-Dim1T-FM-LF HM-LC-Dim2L-SM-2 HM-DW-WM HM-LC-Dim2T-SM HM-LC-Dim2T-SM-2 HM-LC-Dim1T-PI-2 263 134 OLIGO.smart.iq.HM HM-LC-RGBW-WM HBW-LC-DIM8-IN8-DR HBW-LC4-IN4-DR HBW-SD6-Multikey-v1 HBW-SD6-Multikey-v2 HBW-SD6-Multikey HM-LC-DW-WM HmIP-BDT HmIP-DRDI3 HmIP-FDT	✓	✓	✓	✓	Cannot be used as a trigger in an automation
------------	------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---	---	---	---	----------------------------------------------

Compatibility list

Updated on 07. April 2022

These devices can be used with Home Connect Plus

Cloudmatic	Weather station & Environmental sensors	S550IA HM-WDS30-T-O HM-WDS30-OT2-SM HM-WDS30-OT2-SM-2 HB-UNI-Sen-TEMP-DS18B20 HB-UNI-Sen-TEMP-IR HM-WS550STH-I ASH550I ASH550 HM-WDS10-TH-O 263 158 HM-WDS20-TH-O HM-WDS40-TH-I 263 157 IS-WDS-TH-OD-S-R3 HM-WDS40-TH-I-2 HB-UNI-Sen-CAP-MOIST-T WS550 WS888 WS550Tech WS550LCB WS550LCW HM-WDC7000 HB-UNI-Sen-THP-BME280 KS888 HM-WDS100-C6-O-2 HM-WDS100-C6-O KS550 KS550LC KS550Tech HM-Sen-RD-O EASYOpenWeatherMap HB-UNI-Sen-CAP-MOIST HB-UNI-Sen-IAQ-Test HM-Sen-Wa-Od HB-UNI-Sen-LEV-TOF HB-UNI-Sen-LEV-US HB-UNI-Sen-PRESS HB-UNI-Sen-PRESS-SC HB-UNI-Sen-VOLT	✓	✓	✓	✓	Cannot be used as a trigger in an automation
------------	-----------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---	---	---	---	----------------------------------------------

Compatibility list

Updated on 07. April 2022

These devices can be used with Home Connect Plus

Cloudmatic	Blinds & Shutters	HM-LC-BI1-SM HM-LC-BI1-FM HM-LC-BI1-PB-FM ZEL STG RM FEP 230V 263 146 HM-LC-BIX HM-LC-BI1-SM-2 HM-LC-BI1-FM-2 HM-LC-BI1PBU-FM 263 147 HB-LC-BI1-FM-BAT HB-LC-BI1-Velux HBW-LC-BL8-IN8-DR HmIP-BROLL HmIP-FROLL HMW-LC-BI1-DR-2 HMW-LC-BI1-DR HM-LC-Ja1PBU-FM HM-LC-JaX HM-Sec-Win HM-Sec-Win-Generic HmIP-DRBLI4 HmIP-FBL HmIP-HDM1 HmIP-K-DRBLI4 HmIPW-DRBL4 HmIP-DRBLI4	✓	✓	✓	✓	Cannot be used as a trigger in an automation
Cloudmatic	Buttons	HM-OU-CF-PI HM-OU-CFM-PI HM-OU-CFM-TW HM-OU-CM-PCB	✓	✓	✓	✓	Cannot be used as a trigger in an automation

Compatibility list

Updated on 07. April 2022

These devices can be used with Home Connect Plus

Cloudmatic	Heating & Thermostats & Airconditioning	HM-CC-VD ZEL STG RM FSA ALPHA-IP-RBGa HmIP-eTRV-2-UK HmIP-eTRV-2 HmIP-eTRV-B-DEV HmIP-eTRV-B-UK HmIP-eTRV-B HmIP-eTRV-B1 HmIP-eTRV-C-2 HmIP-eTRV-C HmIP-eTRV-E HMIP-eTRV HmIP-BWTH HmIP-BWTH24 HmIP-HEATING HmIP-STH HmIP-STHD HmIP-WTH-2 HmIP-WTH-B HmIP-WTH HmIPW-STH HmIPW-STHD HmIPW-WTH HM-TC-IT-WM-W-EU ALPHA-IP-RBG HM-CC-VG-1 HM-CC-RT-DN HM-CC-RT-DN-BoM HmIP-FAL230-C10 HmIP-FAL230-C6 HmIP-FAL24-C10 HmIP-FAL24-C6 HmIPW-FAL230-C10 HmIPW-FAL230-C6 HmIPW-FAL24-C10 HmIPW-FAL24-C6 HmIP-FALMOT-C12	✓	✓	✓	✓	Cannot be used as a trigger in an automation
------------	-----------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---	---	---	---	----------------------------------------------

Compatibility list

Updated on 07. April 2022

These devices can be used with Home Connect Plus

Cloudmatic	Energy measures	HM-ES-PMSw1-PI HM-ES-PMSw1-PI-DN-R1 HM-ES-PMSw1-PI-DN-R2 HM-ES-PMSw1-PI-DN-R3 HM-ES-PMSw1-PI-DN-R4 HM-ES-PMSw1-PI-DN-R5 HM-ES-PMSw1-DR HM-ES-PMSw1-SM HM-ES-PMSwX HmIP-FSM HmIP-FSM16 HMIP-PSM-CH HMIP-PSM-IT HMIP-PSM-PE HMIP-PSM-UK HMIP-PSM M-ES-TX-WM HmIP-BSM	✓	✓	✓	✓	Cannot be used as a trigger in an automation
Cloudmatic	Door lock	HM-Sec-Key HM-Sec-Key-S HM-Sec-Key-O HM-Sec-Key-Generic HmIP-DLD HmIP-DLS HM-Sec-RHS	✓	✓	✓	✓	Cannot be used as a trigger in an automation
Cloudmatic	Door/window-contact	ZEL STG RM FDK HM-Sec-RHS-2 HM-Sec-xx HM-Sec-SC ZEL STG RM FFK HM-Sec-SC-2 Hm-SCI-3-FM HM-Sec-SCo HMIP-SWDO HM-Sec-TiS HmIP-SCI HmIP-SRH HmIP-SWDM-B2 HMIP-SWDM HMIP-SWDO-I HMIP-SWDO-PI	✓	✓	✓	✓	Cannot be used as a trigger in an automation
Cloudmatic	Security	HM-CC-SCD 263 160 HM-Sec-Sir-WM	✓	✓	✓	✓	Cannot be used as a trigger in an automation
Cloudmatic	Lights	HmIP-BSL HB-UNI-RGB-LED-CTRL EASYLed2	✓	✓	✓	✓	Cannot be used as a trigger in an automation
Cloudmatic	Other partner devices	HmIP-MIOB	✓	✓	✓	✓	Cannot be used as a trigger in an automation
Cloudmatic	Speaker	HmIP-MP3P	✓	✓	✓	✓	Cannot be used as a trigger in an automation
Doorbird	Video doorbell	All Doorbird door phone	✓	✓	✓	✓	Video is currently not yet supported
Easee	Wallbox	Easee Home	✓	✓	X	✓	
FIBARO	Lights	Walli Switch, Walli Dimmer, Switches, Dimmer 2, RGBW Controller 2	✓	✓	✓	✓	All devices must be connected via the Fibaro Home Center 3 or Yubii Home.
FIBARO	Heating & Thermostats & Airconditioning	The Heat Controller	✓	✓	✓	✓	All devices must be connected via the Fibaro Home Center 3 or Yubii Home.

Compatibility list

Updated on 07. April 2022

These devices can be used with Home Connect Plus

FIBARO	Smart plugs	Walli Outlet, Wall Plug	✓	✓	✓	✓	All devices must be connected via the Fibaro Home Center 3 or Yubii Home.
FIBARO	Blinds & Shutters	Walli Roller Shutter, Roller Shutter 3	✓	✓	✓	✓	All devices must be connected via the Fibaro Home Center 3 or Yubii Home.
FIBARO	Button	The Button	✓	✓	✓	✓	All devices must be connected via the Fibaro Home Center 3 or Yubii Home.
Flic	Button	Flic Button	✓	✓	✓	✓	
FRITZ!	Thermostat	DECT 301 Thermostat	✓	✓	X	X	Currently we support all FRITZ!Box which are connected to the network service provider with an IPv4 address. The IPv6 integration is currently being worked on, we will inform you about this as soon as possible. Cannot be used as a trigger in an automation.
FRITZ!	Smart plugs	DECT 210 Smart plug, DECT 200 Smart plug, DECT Repeater 100	✓	✓	X	X	Currently we support all FRITZ!Box which are connected to the network service provider with an IPv4 address. The IPv6 integration is currently being worked on, we will inform you about this as soon as possible. Cannot be used as a trigger in an automation.
FRITZ!	Lights	DECT 500 LED Light	✓	✓	X	X	Currently we support all FRITZ!Box which are connected to the network service provider with an IPv4 address. The IPv6 integration is currently being worked on, we will inform you about this as soon as possible. Cannot be used as a trigger in an automation.
Gaggenau	Home appliances	Home appliances with Home Connect function	✓	✓	✓	✓	
Gardena	Garden tools	All devices of the GARDENA smart system series	✓	✓	✓	✓	Cannot be used as a trigger in an automation.
Hama	Smart plugs	All WiFi sockets, WiFi power strip	✓	✓	✓	✓	Cannot be used as a trigger in an automation. However, it can be linked as a condition.
Hama	Lights	All WiFi LED lamps and luminaires, WiFi LED controller	✓	✓	✓	✓	Cannot be used as a trigger in an automation. However, it can be linked as a condition.
Hama	Heating & Thermostats & Airconditioning	Smart radiator thermostats	✓	✓	✓	✓	Thermostats must be connected via the smart heating control center. Cannot be used as a trigger in an automation. However, it can be linked as a condition.
Hama	Switches & Buttons	WiFi touch wall switch, WiFi retrofit switch (flush-mounted)	✓	✓	✓	✓	Cannot be used as a trigger in an automation. However, it can be linked as a condition.
Hansgrohe (Axor)	Water sensors	Pontos Base, Pontos Scout	✓	X	✓	✓	
Homematic IP	Heating & Thermostats & Airconditioning	HmIP-eTRV-2, HmIP-eTRV-C, HmIP-eTRV-B, HmIP-WTH-2, HmIP-WTH-B, HmIP-BWTH, HmIP-BWTH24, HmIP-STHD, HmIP-STH, HmIP-MIOB, HmIP-WHS2	✓	✓	✓	✓	All devices must be connected via the Homematic IP Access Point.
Homematic IP	Lights & Switches	HmIP-BDT, HmIP-PDT, HmIP-FDT, HmIP-BSM, HmIP-FSM, HmIP-FSM16, HmIP-PCBS, HmIP-FSI16, HmIP-DRSI4, HmIP-DRSI1, HmIP-PDT-UK, HmIP-DRDI3	✓	✓	✓	✓	All devices must be connected via the Homematic IP Access Point.
Homematic IP	Blinds & Shutters	HmIP-BROLL, HmIP-BBL, HmIP-FROLL, HmIP-FBL, HmIP-DRBLI4	✓	✓	✓	✓	All devices must be connected via the Homematic IP Access Point.
Homematic IP	Weather station & Environmental sensors	HmIP-SWO-PR, HmIP-SWO-PL, HmIP-SWO-B, HmIP-STHO, HmIP-SCTH230, HmIP-STHO-A, HmIP-SFD, HmIP-SRD	✓	✓	✓	✓	All devices must be connected via the Homematic IP Access Point.
Homematic IP	Smart plugs	HmIP-PS, HmIP-PSM	✓	✓	✓	✓	All devices must be connected via the Homematic IP Access Point.
Homematic IP	Door/window-contact	HmIP-SWDO, HmIP-SWDO-I, HmIP-SRH, HmIP-SWDM, HmIP-SWDO-PL, HmIP-SCI	✓	✓	✓	✓	All devices must be connected via the Homematic IP Access Point.
Homematic IP	Presence/Motion detector	HmIP-SMO, HmIP-SMI, HmIP-SPI, HmIP-SMO-A	✓	✓	✓	✓	All devices must be connected via the Homematic IP Access Point.
Homematic IP	Switches & Buttons	HmIP-KRCA, HmIP-KRC4, HmIP-RC8, HmIP-WRC2, HmIP-WRC6, HmIP-BRC2, HmIP-FCI1, HmIP-FCI6, HmIP-WRCR, HmIP-WRCC2	✓	✓	✓	✓	All devices must be connected via the Homematic IP Access Point.
Homematic IP	Smoke detector	HmIP-SWSD	✓	✓	✓	✓	All devices must be connected via the Homematic IP Access Point.

This list will be continuously updated.
Changes marked in green

Compatibility list

Updated on 07. April 2022

These devices can be used with Home Connect Plus

Homematic IP	Water sensors	HmIP-SWD	✓	✓	✓	✓	All devices must be connected via the Homematic IP Access Point.
Homematic IP	Security	HmIP-ASIR-2, HmIP-ASIR-O	✓	✓	✓	✓	All devices must be connected via the Homematic IP Access Point.
Homematic IP	Door lock	HmIP-DLD, HmIP-DLS, HmIP-KRCK	✓	✓	✓	✓	All devices must be connected via the Homematic IP Access Point.
Homematic IP Wired	Presence/Motion detector	HmIPW-SPI	✓	✓	✓	✓	All devices must be connected via the Homematic IP Access Point or via the Homematic IP Wired Access Point.
Homematic IP Wired	Lights & Switches	HmIPW-DRS8, HmIPW-DRS4, HmIPW-DRD3, HmIPW-BRC2, HmIPW-WRC2, HmIPW-WRC6	✓	✓	✓	✓	All devices must be connected via the Homematic IP Access Point or via the Homematic IP Wired Access Point.
Homematic IP Wired	Heating & Thermostats & Airconditioning	HmIPW-WTH, HmIPW-STHD, HmIPW-STH	✓	✓	✓	✓	All devices must be connected via the Homematic IP Access Point or via the Homematic IP Wired Access Point.
Homematic IP Wired	Blinds & Shutters	HmIPW-DRBL4	✓	✓	✓	✓	All devices must be connected via the Homematic IP Access Point or via the Homematic IP Wired Access Point.
Homematic IP Wired	Door/window-contact	HmIPW-DRI32, HmIPW-DRI16, HmIPW-FIO6	✓	✓	✓	✓	All devices must be connected via the Homematic IP Access Point or via the Homematic IP Wired Access Point.
Hörmann	Garage and doors	All products	✓	✓	✓	✓	Homematic IP HmIP-MOD-HO as well as Homematic IP HAP1 HCP Adapter for Hörmann module required
iRobot	Home appliances	All Roomba robot vacuum	✓	✓	✓	✓	
LaMetric	Home appliances	LaMetric connected Clock	✓	✓	✓	✓	
LIFX	Lights	Candle White to Warm, Mini Day & Dusk, Mini Color, LIFX A19+/, Candle Color, Mini White, LIFX BR30+/, Z LED Strip, GU10 Downlight	✓	✓	✓	✓	Cannot be used as a trigger in an automation
Loqed	Door lock	LOQED Touch Smart Lock	✓	✓	✓	X	
Mill	Heating & Thermostats & Airconditioning	Mill Glass WiFi panel heater Mill WiFi convection heater Mill Gentle Air WiFi oil filled radiator	✓	✓	✓	✓	Cannot be used as a trigger in an automation
Mill	Sensor	Mill Sense	✓	✓	✓	✓	Cannot be used as a trigger in an automation
MyStrom	Presence/Motion detector	Wi-Fi Motion Sensor	✓	✓	✓	✓	
MyStrom	Smart plugs	Wi-Fi Switch	✓	✓	✓	✓	
MyStrom	Button	Wi-Fi Button, WiFi Button Plus	✓	✓	✓	✓	
MyStrom	Lights	Wi-Fi Bulb, LED Strip	✓	✓	✓	✓	
Nanoleaf	Lights	Light Panels, Canvas, Shapes	✓	✓	✓	✓	
Neff	Home appliances	Home appliances with Home Connect function	✓	✓	✓	✓	
Ngenic	Sensor	Ngenic Tune	✓	✓	✓	X	Cannot be used as a trigger in an automation
Ngenic	Energy measures	Ngenic Track	✓	✓	✓	X	Cannot be used as a trigger in an automation
Nice Group	Garage and doors	All compatible Yubii Home devices	✓	✓	✓	✓	
Nuki	Door lock	Smart door lock, Opener	✓	✓	✓	✓	All devices must be connected via the Nuki Bridge.
Philips Hue	Lights	All Philips Hue lights	✓	✓	✓	✓	All devices must be connected via the Hue Bridge. Cannot be used as a trigger in an automation.
Philips Hue	Presence/Motion detector	Motion detector (indoor) Motion detector (outdoor)	✓	✓	✓	✓	All devices must be connected via the Hue Bridge. Cannot be used as a trigger in an automation. Values can be included as a condition within automations, e.g. °C, lux
Philips Hue	Smart plugs	Smart plug	✓	✓	✓	✓	All devices must be connected via the Hue Bridge. Cannot be used as a trigger in an automation.
Powerfox	Smart power meter	poweropti (PA 201901 / PA 201902), poweropti+ (PB202001)	✓	✓	✓	X	Cannot be used as a trigger in an automation.

Compatibility list

These devices can be used with Home Connect Plus

Samsung	Home appliances	All SmartThings-compatible Ovens All SmartThings-compatible Dryers Robot cleaner VR10M703PW9 Robot cleaner VR2GR7260WC DW60A8060IB DW60A8060BB DW60A8050US DW60A8050BB All SmartThings-compatible Refrigerators All SmartThings-compatible Washers	✓	✓	✓	✓	Check Samsung SmartThings compatibility-list for detailed models
Shelly	Lights & Switches	Shelly 1PM, Shelly 2.5, Shelly Dimmer, Shelly EM, Shelly EM-3, Shelly RGBW2	✓	✓	✓	✓	Cannot be used as a trigger in an automation.
Shelly	Sensor	Shelly H&T	✓	✓	✓	✓	Cannot be used as a trigger in an automation.
Shelly	Lights	Shelly Duo, Shelly Vintage, Shelly Color Bulb	✓	✓	✓	✓	Cannot be used as a trigger in an automation.
Shelly	Smart plugs	Shelly Plug	✓	✓	✓	✓	Cannot be used as a trigger in an automation.
Siemens	Home appliances	Home appliances with Home Connect function	✓	✓	✓	✓	
Somfy	Doors, gates and garages	All Tahoma products	✓	✓	✓	✓	All devices must be connected via the TahomaGateway or the Somfy Connectivity Kit.
Somfy	Cameras & video doorbells	All Tahoma products	✓	✓	✓	✓	All devices must be connected via the TahomaGateway or the Somfy Connectivity Kit. Camaras only work as alarm trigger. the video image cannot be shown.
Somfy	Heating & Thermostats & Airconditioning	All Tahoma products	✓	✓	✓	✓	All devices must be connected via the TahomaGateway or the Somfy Connectivity Kit.
Somfy	Blinds & Shutters	All Tahoma products	✓	✓	✓	✓	All devices must be connected via the TahomaGateway or the Somfy Connectivity Kit.
Somfy	Sensor	Temperature sensor, light sensor	✓	✓	✓	✓	All devices must be connected via the TahomaGateway or the Somfy Connectivity Kit.
Somfy	Presence/Motion detector	All Tahoma products	✓	✓	✓	✓	All devices must be connected via the TahomaGateway or the Somfy Connectivity Kit.
Somfy	Door/window-contact	All Tahoma products	✓	✓	✓	✓	All devices must be connected via the TahomaGateway or the Somfy Connectivity Kit.
Sonos	Speakers	Sonos One Amp Port Play:5 (gen 2) Beam One SL Move SYMFONISK table lamp with WiFi SYMFONISK WiFi	✓	✓	✓	✓	Other Sonos smart speakers are supported with limited functionality, e.g. without notification functionality
tado°	Heating & Thermostats & Airconditioning	All tado products	✓	✓	✓	✓	
TP-Link	Lights	All Kasa-Products	✓	✓	✓	✓	Cannot be used as a trigger in an automation
TP-Link	Smart plugs	All Kasa-Products	✓	✓	✓	✓	Cannot be used as a trigger in an automation
Vaillant	Heating & Thermostats & Airconditioning	eRelax	✓	X	X	X	Cannot be used as a trigger in an automation
Velux	Blinds & Shutters	VELUX Blinds and Shutters, INTEGRA® Roof windows, heat awning blinds	✓	✓	✓	✓	All devices must be connected via the Somfy Tahoma-Gateway
Yale	Door lock	Linus Smart Lock	✓	✓	X	✓	
Yeelight	Lights	Crystal Pendant Light, Galaxy LED Ceiling Light 450, Galaxy LED Ceiling Light 450, Galaxy LED Ceiling Light 480, Galaxy LED Ceiling Light 480, LED Ceiling Light (White), Serene Eye-Friendly Desk Lamp Pro, Staria Bedside Lamp Pro, Smart LED Bulb 1S (Color), Smart LED Bulb 1S (Dimmable), Smart LED Filament Bulb, Aurora Lightstrip PlusMini Color	✓	✓	✓	✓	

Compatibility list

Updated on 07. April 2022

These devices can be used with Home Connect Plus

Coming soon						
Manufacturer-brand	Product category	Description				Special notes
Liebherr	Home appliances	All devices with Liebherr Smart Device Function	✓	✓	✓	

This list will be continuously updated.
Changes **marked in green**.